

Akkerman Schokker 1040



€ 67,500

 Sleeping places
3 + 1

 year built
1985

 Berth
Zeewolde

 Category
Round bottoms and
flat bottoms



Willem Beekhuis

+316-19730566 / +3150-
2111780

Available

 2024/05/03 15:33

Bow thruster, holding tank, shore power, inverter. Engine from 2008 with only 110 operating hours. Superbly executed schokker. Must see!

Dimensions

10,40 x 3,65 x 1,10 m.

Construction material

Steel

Engine

Yanmar 40 HP (29 kW) Diesel

Reference number

234028

Berth



General

9 Photos [↗](#)

The schokker is the most seaworthy flat bottom. The Akkerman Schokker is a beautifully designed and very spacious shocker with a spacious cockpit.

This Akkerman Schokker 1040 was commissioned by a Norwegian and beautifully finished with Honduras mahogany in-house by the client.

Construction material	Steel
Hull shape	Flat bottom
Deck	Steel non skid
Superstructure	Steel
Keel / leeboard	Oak sideboard keels
Rudder	Oak
Steering system	Hydraulic wheel steering
Windows	Portholes
Displacement	12,000 kg.
Ballast	Base plate with a thickness of 50 mm.
Airdraft	14.50 m.
Yard	Jachtbouw De Bronsveen, Woudbloem (Holland)
Designer	Roelof Akkerman

Accommodation

4 Photos [↗](#)

Material	Honduras mahogany (beautifully executed and in very nice condition)
Saloons	Saloon, Fore ship
Cabins	1
Berth	3 + 1
Headroom saloon	1.97 - 1.90 m.
Headroom fore ship	1.90 m.
Bedsizes front cabin	2.10 x 1.35 m.; Front: 2,10 x 0,94 m.
Bedsizes saloon	1.97 x 0.48 m.
Toilet	Toilet room with a pump toilet and sink
Cooking device	Cook Mate 3100 2 - flame spirit cooker
Refridgerator	Isotherm 65 litres
Heating	Jotul wood stove
Insulation	Pur foam

Engine

7 Photos 

Brand / type	Yanmar 3JH4-E
Power	40 HP, 29 kW
Number of cylinders	3
Cooling system	Intercooling
Year built	2008
Hours	110!
Fuel	Diesel
Fuel tank(s)	100 Litres steel
Gearbox	Kanzaki mechanic
Propulsion	Shaft
Instruments	Tachometer, Watertemperature, Oilpressure
Bow thruster	Vetus 60 kgf (2007)

Electrics

1 Photos 

Voltage	12 and 220 Volt
Batteries	5 x 100 Ah Victron AGM, 2 x 105 Ah, 1 x 165 Ah
Shore power	Yes
Alternator	80 A. 12 Volt
Battery charger	Victron Phoenix Multiplus 12/3000/120 120 A.
Inverter	Victron Phoenix Multiplus 12/3000/120 3,000 W.

Diode bridge	Yes
Control panel	Fuse panel
Voltmeter	1 x
Ampère meter	1 x
Battery-conditionmeter	Victron BMV-602S

Water

Water tank(s)	200 Litres stainless steel
Pressure system	Electric
Hot water	Truma Therme 5 litres water geater (heated over 220 Volt)
Freshwater meter	Yes
Holding tank	150 Litres stainless steel with pump

Rigging

4 Photos 

Type	Gaff
Mast	Oregon Pine by Piet Blauw (2014)
Standing rig	Stainless steel
Boom	Oregon Pine
Jib boom	Oregon Pine
Gaff	Oregon Pine
Mastlowering system	With Strikwerda winch
Winches	2 x Lewmar 40 Two Speed, 2 x Bronze halyard
Sails material	Dacron
Mainsail	1 x
Jib	1 x
Yankee	1 x

Navigation and electronics

1 Photos 

Navigation ligths	Yes
Chartplotter	Advansea T.56

Deck equipment

15 Photos 

Anchor	1 x Bruce
Anchor winch	Strikwerda mechanic

Schwimming ladder	Yes
Winter cover	Over entire ship
Selfdraining cockpit	Yes

Safety

Search light	Yes
Fire prevention	1 x Fire extinguisher