

Blom Lemsteraak 'Juffrouw Kwakeraak'



€ 79,900

 Sleeping places
4 + 2

 year built
1976

 Berth
Warns

 Category
Round bottoms and
flat bottoms



Willem Beekhuis

+316-19730566 / +3150-
2111780

Available

 2022/10/13 20:19

Bowthruster, shorepower, water heater, electrical mastlowering system.

Dimensions

10,00 x 3,80 x 0,80 m.

Construction material

Steel

Engine

Peugeot 40 HP (29 kW) Diesel

Reference number

214064

Berth



General

15 Photos [↗](#)

In 2008 the underwater ship has been sandblasted. Also the concrete ballast replaced by steel ballast. A new saloon floor was installed by SRF in Harlingen. SRF also renewed the engineroom hatch and the water chute around the engineroom. The rubber in the teak deck on the roof of the saloon was renewed in 2010.

The jib boom is included.

Construction material	Steel
Hull shape	Round bottom
Deck	Teak on steel
Superstructure	Steel
Keel / leeboard	Oak sideboard keels (2013)
Rudder	Oak
Steeringsystem	Tiller
Windows	In brass and teak frames
Displacement	10,000 kg.
Airdraft	12,50 m.
Yard	Skipshelling Blom, Hindeloopen (Holland)
Designer	Blom

Accommodation

4 Photos [↗](#)

Material	Teak interior
-----------------	---------------

Saloons	Saloon, Front cabin
Cabins	2
Berth	4 + 2
Headroom saloon	1.90 m.
Headroom frontcabin	1.70 m.
Bedsizes front cabin	Portside: 2.00 x 1.40 m.; Starboard: 2.00 x 0.75 m.; Front: 2.00 x 0.80 m.
Bedsizes saloon	2.00 x 0.80 m. (portside and starboard)
Toilet	Toilet room with a Jabsco pump toilet and sink
Radio	Philips radio-CD player
Cooking device	Taylor 2 - flame paraffin cooker with oven
Refridgerator	Zanussi 50 litres (12 and 220 Volt, 2013)
Heating	Taylor paraffin

Engine

5 Photos 

Brand / type	Peugeot XDP4.88
Power	40 HP, 29 kW
Number of cylinders	4
Cooling system	Intercooling
Year built	1976
Hours	4,085
Fuel	Diesel
Fuel tank(s)	200 Litres steel
Gearbox	HBW mechanical
Propulsion	Shaft
Instruments	VDO tachometer
Bowthruster	Vetus 3 kW (2008)

Electrics

Voltage	12 and 220 Volt
Batteries	2 x 55 Ah Red Top, 1 x 85 Ah, 1 x 180 Ah
Shorepower	With earth leakage switch
Alternator	1 x 12 Volt
Battery charger	Yes
Inverter	350 W.
Voltmeter	VDO

Water

[1 Photos](#)

Watertank(s)	1 x 200 Litres, 1 x 250 litres (both stainless steel, 2008)
Waterpressure system	Electrical
Warm water	40 Litres water heater (heated over the engine and 220 Volt)
Holdingtank	Holding tank system has been prepared

Rigging

[6 Photos](#)

Type	Gaff rigged
Mast	Oregon Pine
Standing rig	Stainless steel
Boom	Oregon Pine
Jib boom	Oregon Pine
Gaff	Oregon Pine
Mastlowering system	With an electriscal winch
Winches	3 x Lewmar ST30, 2 x sideboard keel
Sails material	Dacron
Mainsail	Molenaar
Jib	1 x
Yankee	1 x

Navigation and electronics

Navigation ligths	Yes
Log / speed	Raymarine ST60+ Tridata
Depth sounder	Raymarine ST60+ Tridata
VHF	Shipmate RS8300

Deck equipment

[18 Photos](#)

Anchor	1 x
Anchorwinch	Admiraal mechanical
Sternshower	Warm/cold water
Cockpit table	Teak

Safety

Fire prevention	2 x Fire extinguisher
------------------------	-----------------------