

Combikotter 1180 AK



€ 64,500

 Sleeping places
4 + 1

 year built
1989

 Berth
Hasselt

 Category
Motor
yacht



Willem Beekhuis

+316-19730566 / +3150-2111780

Available

 2026/10/12 23:26

Boegschroef, vuilwatertank, walstroom, boiler, omvormer, verwarming, etc. Goed onderhouden Combikotter 1180 AK,

Dimensions

11,80 x 3,70 x 1,20 m.

Construction material

Steel


Engine

DAF 120 HP (88 kW) Diesel

Reference number

262044

Berth



General

Construction material	Staal
Hull shape	Knikspant
Deck	Staal antislip
Superstructure	Staal
Rudder	1 x
Steering system	Hydraulisch stuurwiel binnen- en buitenbesturing
Windows	Gebo ramen in aluminium
Displacement	13.000 kg.
Airdraft	2,95 m.
Yard	Jachtwerf De Combinatie
Designer	Bezemer
Building number	250

Accommodation

Material	Mahonie interieur
Saloons	Stuurhuis, Voorschip, Achterkajuit
Cabins	2
Berth	4 + 1
Headroom wheelhouse	1,95 m.
Headroom fore ship	1,90 m.

Headroom aft cabin	1,90 m.
Bedsiz e fore ship	1,81 x 0,67 m. (2 x)
Bedsiz e aft cabin	2,10 x 0,80 m. (2 x) of 2,10 x 2,60 m. (lengte x breedte)
Bedsiz e wheel house	2,50 x 0,60 m.
Toilet	Toiletruimte met een elektrisch toilet en wastafel
Television	Reflexion (2024)
Radio	E.O.N. en Medion radio-CD speler
Cooking device	ENO Marine 3 - pits gas
Oven	ENO Marine gas
Refridgerator	Isotherm 85 liter en Ocean Tec ca. 40 liter koelbox op het achterdek
Heating	Webasto HL32D

Engine

Brand / type	DAF DD 575
Power	120 Pk, 88 kW
Number of cylinders	6
Cooling system	Interkoeling met dubbel wierfilter
Number of engines	1
Hours	3.300
Fuel	Diesel
Fuel tank(s)	400 Liter staal
Tank meter	Peilglas
Gearbox	PRM hydraulisch
Propulsion	Schroefas vet gesmeerd
Thrust bearing	Ja
Cruising speed	6,5 Kn.
Max. speed	7,5 Kn.
Instruments	2 x Toerenteller, 2 x Watertemperatuur, 2 x Oliedruk (alle VDO)
Bow thruster	Sidepower 75 kgf 24 Volt

Electrics

Voltage	12, 24 en 220 Volt
Batteries	2 x 180 Ah (waarvan 1 x uit 2026), 2 x 225 Ah (2026)
Shore power	Ja
Alternator	1 x 24 Volt
Battery charger	Victron Multiplus Compact 24/1600/40 40 A.

Inverter	Victron Multiplus Compact 24/1600/40 1.600 W.
Converter	Waeco PerfectPower DCDC24 24 A.
Control panel	2 x Philippi en 1 x Aqua Signal zekeringenpaneel
Voltmeter	1 x Celsa
Ampère meter	2 x Celsa
Battery-conditionmeter	Fox-i90