

Combi Kotter 1180 AK



€ 64,500

 Sleeping places
4 + 1

 year built
1989

 Berth
Hasselt

 Category
Motor
yacht



Willem Beekhuis

+316-19730566 / +3150-2111780

Available

 2026/10/15 13:23

Bow thruster, holding tank, shore power, water heater, inverter, heating, etc. Well-maintained Combikotter 1180 AK; solidly built motor yacht suitable for inland waters and coastal waters.

Dimensions

11,80 x 3,70 x 1,20 m.

Construction material

Steel


Engine

DAF 120 HP (88 kW) Diesel

Reference number

262044

Berth



General

2 Photos

Construction material	Steel
Hull shape	Hard chine
Deck	Steel non skid
Superstructure	Steel
Rudder	1 x
Steering system	Hydraulic double wheel steering
Windows	Gebo windows in aluminium frames
Displacement	13,000 kg.
Aircraft	2.95 m.
Yard	Jachtwerf De Combinatie, Dordrecht (Holland)
Designer	Bezemer
Building number	250

Accommodation

4 Photos

Material	Mahogany interior
Saloons	Wheel house, Fore ship, Aft cabin
Cabins	2
Berth	4 + 1
Headroom wheelhouse	1.95 m.
Headroom fore ship	1.90 m.

Headroom aft cabin	1.90 m.
Bedsiz fore ship	1.81 x 0.67 m. (2 x)
Bedsiz aft cabin	2.10 x 0.80 m. (2 x) or 2.10 x 2.60 m. (length x width)
Bedsiz wheel house	2.50 x 0.60 m.
Toilet	Toilet room with an electric toilet and sink
Television	Reflexion (2024)
Radio	E.O.N. and Medion radio-CD player
Cooking device	ENO Marine 3 - flame gas cooker
Oven	ENO Marine gas
Refridgerator	Isotherm 85 litres and Ocean Tec approx. 40 litres cooling box on the aft deck
Heating	Webasto HL32D

Engine

9 Photos 

Brand / type	DAF DD 575
Power	120 HP, 88 kW
Number of cylinders	6
Cooling system	Intercooling with double weed filter
Number of engines	1
Hours	3,300
Fuel	Diesel
Fuel tank(s)	400 Litres steel
Tank meter	Gauge glass
Gearbox	PRM hydraulic
Propulsion	Shaft grease lubricated
Thrust bearing	Yes
Cruising speed	6.5 Kn.
Max. speed	7.5 Kn.
Instruments	2 x Tachometer, 2 x Watertemperature, 2 x Oilpressure (all VDO)
Bow thruster	Sidepower 75 kgf 24 Volt

Electrics

3 Photos 

Voltage	12, 24 and 220 Volt
Batteries	2 x 180 Ah , 2 x 225 Ah (all 2026)
Shore power	Yes
Alternator	1 x 24 Volt
Batterycharger	Victron Multiplus Compact 24/1600/40 40 A.

Inverter	Victron Multiplus Compact 24/1600/40 1,600 W.
Converter	Waeo PerfectPower DCDC24 24 A.
Control panel	2 x Philippi and 1 x Aqua Signal fuse panel
Voltmeter	1 x Celsa
Ampère meter	2 x Celsa
Battery-conditionmeter	Fox-i90

Water

1 Photos 

Water tank(s)	500 Litres steel
Pressure system	Pressure barrel
Hot water	Truma 14 litres water heater (heated over 220 Volt)
Holding tank	Vetus 80 litres plastic with pump and deck outlet
Holdingtank meter	Vetus

Navigation and electronics

6 Photos 

Navigation ligths	Yes
Log / speed	B&G IS15
Depth sounder	B&G IS15
Rudder position	KUS
Chartplotter	Simrad NSS7
VHF	Northstar Explorer 725 and Simrad AHK05E
Satellite receiver	Megasat

Deck equipment

19 Photos 

Anchor	1 x
Anchor winch	Mechanic
Stern shower	On aft deck with warm/cold water
Railing	Steel on a steel bullwark; Around aft deck teak on steel
Schwimming ladder	Yes
Equipment carrier	Stainless steel
Davits	Stainless steel
Convertible top	With a stainless steel frame
Bimini	With a stainless steel frame
Cockpit table	Yes

Safety

1 Photos 

Wiper	2 x
Fire prevention	2 x Fire extinguisher
Gas locker	Suitable for 2 bottles
Gas inspection	No