


O' Day 37



€ 32,500

 Sleeping places
4 + 2

 year built
1979

 Berth
Eernewoude

 Category
Sailing
yacht



Willem Beekhuis

+316-19730566 / +3150-2111780

Available

 2026/05/01 18:42

Holding tank, shore power, 2 x shower, 2 x toilet, etc. Very spacious sailing yacht beautifully panelled with teak. Rigging is present.

Dimensions

11,50 x 3,45 x 1,52 m.

Construction material

GRP

Engine

Yanmar 30 HP (22 kW) Diesel

Reference number

241065

Berth



General

7 Photos [↗](#)

The O' Day 37 is a spacious sailing yacht with beautifully executed teak paneling. The O' Day 37 is an ideal sailing yacht for families because of the aft cabin with its own toilet/shower room. The O' Day 37 is a solidly built sailing yacht suitable for long sea voyages.

This O' Day 37 is in a shed every winter.

Construction material	GRP
Hull shape	Round bilged
Deck	GRP non skid
Superstructure	GRP
Keel / leeboard	Fin keel
Rudder	On skeg
Steering system	Mechanic wheel steering
Windows	In synthetic frames
Displacement	6,350 kg.
Ballast	2,722 kg.
Airdraft	14.50 m.
Yard	O 'Day Corp., United States
Designer	C. Raymond Hunt Associates

Accommodation

4 Photos [↗](#)

Material	Teak interior
Saloons	Salon, Fore ship, Aft cabin
Cabins	2
Berth	4 + 2
Headroom saloon	1.95 m.
Headroom fore ship	1.90 m.
Headroom aft cabin	1.80 m.
Bedsizes fore ship	2.00 x 1.90 m.
Bedsizes aft cabin	2.30 x 1.50 m.
Bedsizes saloon	1,985 x 0,60 m. (portside and starboard)
Toilet	Toilet room fore ship with a pump toilet and toilet room aft cabin with an electric toilet (both with a sink). Toilets must be tested for functionality
Shower	In both toilet rooms
Radio	Blaupunkt radio-cassette player
Cooking device	ENO 2 - flame gas cooker
Oven	ENO gas
Refridgerator	Engel B 30 litres toploader
Heating	Eberspächer D3L (operation unknown)

Engine

7 Photos 

Brand / type	Yanmar 3QM30
Power	30 HP, 22 kW
Number of cylinders	3
Cooling system	Seawater cooled
Year built	1979
Number of engines	1
Fuel	Diesel
Fuel tank(s)	151 Litres
Tank meter	VDO
Gearbox	Kanzaki mechanic
Propulsion	Shaft water lubricated
Instruments	Tachometer, Watertemperature, Oilpressure (all VDO)
Engine control	2 - Lever

Electrics

2 Photos 

Voltage	12 Volt
Batteries	1 x 72 Ah, 1 x 105 Ah
Shore power	Yes
Alternator	1 x 12 Volt
Battery charger	CTEK Multi XS25000 25 A. and CTEK MXS3.8 3,8 A.
Control panel	4 x Fuse panel
Voltmeter	2 x VDO
Ampère meter	2 x VDO

Water

1 Photos 

Water tank(s)	2 x 265 Litres
Pressure system	Pressure barrel
Hot water	Plieger 10 litres water heater (heated over 220 Volt)
Holding tank	100 Litres synthetic with deck outlet and pump
Holding tank meter	Vetus

Rigging

4 Photos 

Type	Masthead
Mast	Aluminium
Standing rig	Stainless steel
Boom	Aluminium
Winches	3 x Bariert 10, 1 x Barlow 19, 2 x Bariert 25
Sails material	Dacron
Mainsail	1 x
Mainsail furling system	Sailtainer boom furling
Genoa	1 x
Genoa furling system	Furlex furling

Navigation and electronics

7 Photos 

Navigation lights	Yes
Log / speed	VDO Sumlog II
Depth sounder	Autohelm ST30 Depth

Wind	VDO speed and direction
Autopilot	Autohelm 3000
GPS	MLR FX312 (display not optimal)
VHF	Icom IC-M59 Euro
Other	VDO equipment must be tested

Deck equipment

18 Photos 

Anchor	2 x
Railing	Stainless steel with stainless steel wire
Schwimming ladder	Stainless steel
Sprayhood	With a stainless steel frame
Cover	Cockpit cover connecting to the spray hood with stainless steel frame
Cockpit table	Yes
Selfdraining cockpit	Yes

Safety

Bilge pump	Hand
Gas locker	Suitable for 1 bottle
Gas inspection	No