

# **Smelne Kruiser 1140**





Bow thruster, generator, shore power, holding tank, 2 x toilet, plotter, A.I.S., etc. This Smelne Cruiser 1140 is optimally laid out and suitable for a long stay on board. Beautifully maintained motor yacht.

**Dimensions** 11,73 x 3,65 x 1,15 m.

**Construction material** Steel Engine Perkins Sabre 135 HP (99 kW) Diesel

**Reference number** 232055

#### Berth



#### General

#### 13 Photos 🗹

The Smelne Kruiser 1140 is very well laid out with a spacious salon. The Smelne Kruiser 1140 has good sailing characteristics on both inland and larger waters.

This Smelne Kruiser 1140 is very fully equipped (including a generator), making her very suitable for a long stay on board and traveling through Europe. This Smelne Kruiser 1140 is in very good condition and is ready for the new season.

With the extra toilet space in the bow, this Smelne Kruiser 1140 is very suitable for those who regularly have guests on board.

Construction material	Steel
Hull shape	Hard chine
Deck	Steel non skid
Superstructure	Steel
Rudder	1 x
Steering system	Hydraulic wheel steering
Windows	Smelne windows in aluminium frames
Displacement	11,500 kg.
Airdraft	2.75 m.
Yard	Scheepswerf De Steven B.V., Drachten (Holland)
Building number	499

# Accommodation

Material	Teak interior (beautifully executed)
Upholstery	Mattress owner's cabin from 2020
Saloons	Saloon, Fore ship with guests cabin, Aft cabin with owners cabin
Cabins	3
Berth	4 + 2
Headroom saloon	1.95 m.
Headroom fore ship	1.95 m.
Headroom aft cabin	1.93 m.
Bedsize guests cabin	1.95 x 0.88 m. (portside). 2.00 x 0.90 m. (starboard) or 1,95 x 2,72 m. (length x width)
Bedsize owners cabin	1.95 x 1.38 m.
Bedsize saloon	2.65 x 1.04 m.
Toilet	2 x Toilet room with a Jabsco pump toilet and sink
Shower	Shower cabin in toilet room owners cabin
Television	ЈТС
Radio	Pioneer radio-CD player
Cooking device	Spinflo 4 - flame gas cooker
Exhaust hood	Dometic
Oven	SMEV gas
Microwave	Proline
Refridgerator	Isotherm 130 litres
Heating	Eberspächer D5L

# Engine

Brand / type	Perkins Sabre M135
Power	135 HP, 99 kW
Number of cylinders	6
Cooling system	Intercooling
Year built	2002
Number of engines	1
Hours	3,000
Fuel	Diesel
Fuel tank(s)	450 Litres steel

6 Photos 🖸

Tank meter	VDO
Gearbox	ZF hydraulic
Propulsion	Shaft
Thrust bearing	Yes
Cruising speed	7 Kn.
Max. speed	8 Kn.
Instruments	Tachometer, Watertemperature, Oilpressure (all VDO)
Bow thruster	Vetus 4.7 kW
Exhaust temperature alarm	Vetus Exhaust Alarm

## **Electrics**

4 Photos 🖸

Voltage	12 and 220 Volt
Batteries	1 x 60 Ah (2022), 3 x 230 Ah (2020)
Shore power	With earth leakage switch
Alternator	1 x 12 Volt
Batterycharger	Mastervolt Ivo Smart 12/40-3 40 A.
Generator	Mastervolt Whisper 3500 3,0 kVA with 1 cylinder diesel engine 3,000 RPM and 281 hours
Inverter	Ective Sinus Inverter 3,000 W. (2019)
Diode bridge	Vetus
Isolation transformer	Sterling Prosave E
Control panel	Smelne fuse panel
Voltmeter	VDO

### Water

Water tank(s)	2 x 225 Litres stainless steel
Pressure system	Pressure barrel
Hot water	Isotemp 40 litres water heater (heated over engine and 220 Volt)
Freshwater meter	VDO
Holding tank	600 Litres steel with pump and deck outlet
Holdingtank meter	Vetus

# **Navigation and electronics**

Navigation ligths	Yes
Compass	Ritchie Powerdamp

#### 7 Photos 🖸

Log / speed	Raytheon ST60 Tridata and display on Garmin GPS Map 720
Depth sounder	Raytheon ST60 Tridata
Rudder position	VDO
Chartplotter	Garmin GPS Map 720
VHF	Icom VHF IC-M330 (2020)
A.I.S.	Easy 3 TRX
Satellite receiver	Glomex Pandora SVB

# **Deck equipment**

Anchor	1 x
Anchor winch	Vetus mechanic
Stern shower	On bading platform with warm/cold water
Railing	Stainless steel on a steel bulwark
Schwimming ladder	Stainless steel
Davits	Simpson stainless steel
Schwim platform	Steel
Convertible top	With a stainless steel frame (2020)
Cover	Over aft deck with a stainless steel frame (2020)

# Safety1 Photos CBilge pump1 x ElectricWiper3 xFire prevention6 x Fire extinguisher and automatic fire extinguishing system in engine roomGas alarmVetusGas lockerSuitable for 2 bottles